

Painter's Tapes

Masking Tapes

Crepe Tapes

Washi Tapes



HELP CUSTOMERS CHOOSE THE RIGHT ADHESIVE TAPE FOR THE JOB



NO.414

General purpose Painter's Tape

Yellow crepe tape for masking a variety of surfaces, such as glass, wood, metal, tiles, concrete, stucco. Medium adhesion to both smooth and rough surfaces. Designed for both interior and exterior painting applications. Interior house painting up to 60 days clean removal. Automotive refinish, UV resistant up to 3 days.

Adhesive Type: Water-based acrylic adhesive
Backing / Carrier: Yellow crepe paper
Total Thickness: 120 μ m
Adhesion to Steel Plate: 3.2N/cm
Tensile Strength : 35N/cm

UV resistant Crepe tape

Blue crepe tape for masking a variety of surfaces, including painted walls and trim, woodwork, glass and metal. Medium adhesion to both smooth and rough surfaces. Designed for both interior and exterior painting applications. Exterior house paint, UV resistant up to 14 days.

Adhesive Type: Water-based acrylic adhesive
Backing / Carrier: Blue flexible crepe paper
Total Thickness: 140 μ m
Adhesion to Steel Plate: 3.5N/cm
Tensile Strength : 32N/cm



NO.506



NO.519

Automotive masking tape

Green Crepe Tape for the most critical jobs in the automotive aftermarket. Highly adhesive, excellent adhesion to multiple surfaces preventing lifting or bleed through. Resistant to moisture, water and solvent based paints. Automotive refinishing, UV resistant up to 3 days.

Adhesive Type: Water-based acrylic adhesive
Backing / Carrier: Green crepe paper
Total Thickness: 145 μ m
Adhesion to Steel Plate: 3.5N/cm
Tensile Strength : 35N/cm



NO.738

Multiple purpose Painter's Tape

Yellow Washi tape for masking a variety of surfaces, such as glass, wood, metal, tiles and plasterboard. Medium adhesion to both smooth and rough surfaces. Designed for interior house painting up to 60 days clean removal. Good conformability, create sharp, no bleed through.

Adhesive Type: Water-based acrylic adhesive
Backing / Carrier: Yellow washi paper
Total Thickness: 100 μ m
Adhesion to Steel Plate: 3.0N/cm
Tensile Strength : 43N/cm

UV resistant Washi tape

Blue Washi tape for masking a variety of surfaces, including painted walls and trim, woodwork, glass and metal. Medium adhesion to both smooth and rough surfaces. Designed for both interior and exterior painting applications. Exterior house paint, UV resistant up to 14 days.

Adhesive Type: Water-based acrylic adhesive
Backing / Carrier: Blue washi paper
Total Thickness: 105 μ m
Adhesion to Steel Plate: 3.0N/cm
Tensile Strength : 46N/cm



NO.738B



NO.978

Sensitive Surface Painter's Tape

Pink Washi tape for painted drywall, freshly painted walls, interior walls, wallpaper. Suitable for smooth and textured surfaces, decorative stripes or patterns. 24 hour clean removal on freshly painted surfaces. Up to 90 days clean removal without residues. Low tack painters tape 24 hour clean up on freshly painted surfaces.

Adhesive Type: Water-based acrylic adhesive.
Backing / Carrier: Ultra thin washi paper.
Total Thickness: 110 μ m.
Adhesion to Steel Plate: 0.8-1.2N/cm.
Tensile Strength : 43N/cm

Crepe Masking tape

NO.414

Color: Yellow
Masking for car painting
Up to 3 Days Outdoor Clean Removal
Temperature resistant: 120°C 30minutes
UV and water-resistant

Performance

	Units	Measurements
Thickness	um	120
Adhesion	N/25mm	3.2
Tensile Strength	N/10mm	32-35

Thick painter's tape

NO.503

Color: Yellow
Indoor masking
Up to 21 Days Indoor Clean Removal
Temperature resistant: 100°C 30minutes

Performance

	Units	Measurements
Thickness	um	140
Adhesion	N/25mm	2.5-3.0
Tensile Strength	N/10mm	29-32

Automotive masking tape

NO.519

Color: Green
Masking for car body
Up to 7 Days Outdoor Clean Removal
Temperature resistant: 120°C 30minutes
UV and water-resistant

Performance

	Units	Measurements
Thickness	um	145
Adhesion	N/25mm	3.5
Tensile Strength	N/10mm	32-35

Multi-surface painter's tape

NO.506

Color: Blue
Indoor / Outdoor masking
Up to 14 Days Outdoor Clean Removal
Temperature resistant: 120°C 30minutes
UV and water-resistant

Performance

	Units	Measurements
Thickness	um	140
Adhesion	N/25mm	3.5
Tensile Strength	N/10mm	29-32

Automotive masking tape

NO.718

Color: Apple Green
Automotive painting masking tape
Fineline masking tape
Temperature resistant: 120°C 30minutes
Car detailing tape

Performance

	Units	Measurements
Thickness	um	110
Adhesion	N/25mm	2.5-3.0
Tensile Strength	N/10mm	46-50

Automotive masking tape

NO.3758

Color: Apple Green
Automotive painting masking tape
Fineline masking tape
Temperature resistant: 120°C 30minutes
UV and water-resistant

Performance

	Units	Measurements
Thickness	um	110
Adhesion	N/25mm	2.5-3.0
Tensile Strength	N/10mm	46-50

Low tack Painter's tape

NO.978

Color: light Green, Pink
Sensitive surface painters tape
Up to 90 Days Indoor Clean Removal
Low-tack adhesion
24 hours clear removal on freshly painted wall

Performance

	Units	Measurements
Thickness	um	110
Adhesion	N/25mm	0.8-1.2
Tensile Strength	N/10mm	40-43

Multiple Purpose Painter's tape

NO.738

Color: Yellow
Indoor painters tape
Up to 60 Days Indoor Clean Removal
Temperature resistant: 130°C 30minutes

Performance

	Units	Measurements
Thickness	um	100
Adhesion	N/25mm	2.5-3.0
Tensile Strength	N/10mm	40-43

Rough surface Painter's tape

NO.758

Color: Purple, Sky blue, Blue, Green, Apple green
Painter's tape for concrete, brick
Up to 60 Days Indoor Clean Removal
Temperature resistant: 130°C 30minutes

Performance

	Units	Measurements
Thickness	um	105
Adhesion	N/25mm	2.5-3.0
Tensile Strength	N/10mm	46-50

Outdoor Painter's tape

NO.758B

Color: Blue
Painter's tape for stucco, concrete
Painter's tape for exterior painting
UV resistant washi paper and adhesive
Up to 14 Days Outdoor Clean Removal

Performance

	Units	Measurements
Thickness	um	105
Adhesion	N/25mm	2.5-3.0
Tensile Strength	N/10mm	46-50

Sensitive Surface Painter's tape

NO.918

Color: Light green
Up to 90 Days Indoor Clean Removal
Fine line painters tape
Ultra-thin, low-tack adhesion
24 hours clear removal on freshly painted wall

Performance

	Units	Measurements
Thickness	um	73
Adhesion	N/25mm	0.5-0.8
Tensile Strength	N/10mm	34-36

Delicate Surface Painter's tape

NO.928

Color: Azure green
For protecting delicate surfaces
Up to 120 Days Indoor Clean Removal
Fine line painters tape
24 hours clear removal on freshly painted wall

Performance

	Units	Measurements
Thickness	um	140
Adhesion	N/25mm	2.5-3.0
Tensile Strength	N/10mm	29-32

Precision Line Painter's tape

NO.966

Color: Sky Blue
Painters tape for textured walls
Fine line painters tape
Up to 90 Days Indoor Clean Removal

Performance

	Units	Measurements
Thickness	um	100
Adhesion	N/25mm	2.1-2.6
Tensile Strength	N/10mm	48-52

Fine Line Painter's tape

NO.968

Color: Lemon yellow, Yellow, Blue, Purple
Best Washi paper tape for painting
Best rated painters tape
Temperature resistant: 150°C 30minutes
Up to 90 Days Indoor Clean Removal

Performance

	Units	Measurements
Thickness	um	100
Adhesion	N/25mm	2.8-3.2
Tensile Strength	N/10mm	40-43